

表2 性年齢別有所見率(%)、2015年

項目	性別	-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-	合計
聴力検査(1000Hz)	M	1.3	0.9	0.9	1.1	1.4	1.7	2.3	3.5	6.0	10.5	19.9	3.5
	F	1.7	0.9	0.9	1.1	1.3	1.7	2.4	3.6	5.8	9.8	18.8	3.3
聴力検査(4000Hz)	M	0.8	0.8	1.1	1.7	2.9	4.7	7.6	12.3	20.8	34.2	50.5	10.0
	F	1.0	0.5	0.6	0.8	1.0	1.2	1.6	2.6	4.4	8.3	18.2	2.6
胸部X線検査	M	0.6	1.4	1.7	2.2	3.1	4.6	5.9	7.3	10.0	12.1	16.7	5.2
	F	1.6	2.0	2.7	3.0	4.2	5.3	6.8	8.7	10.2	12.2	16.7	5.8
血圧測定	M	8.3	11.8	12.4	15.2	20.2	26.5	34.3	42.1	50.1	54.4	59.8	28.2
	F	2.1	2.7	3.4	5.1	7.6	11.1	16.6	22.9	27.9	34.7	46.3	13.6
貧血検査	M	3.9	3.9	4.1	4.8	6.0	6.8	7.6	8.9	10.6	12.1	18.3	7.4
	F	6.0	7.1	8.9	11.5	13.5	16.9	19.1	13.6	8.2	7.7	12.3	12.4
肝機能検査	M	9.2	10.8	14.4	18.4	21.9	24.1	24.7	24.6	23.3	20.7	17.9	20.9
	F	2.4	3.4	3.8	5.6	7.0	8.0	9.6	13.0	14.3	13.7	13.9	8.8
血中脂質検査	M	18.3	22.1	28.3	36.2	44.9	51.5	55.3	56.7	56.8	54.9	53.8	46.6
	F	20.3	19.0	19.2	22.2	27.5	31.7	38.4	50.5	58.8	61.3	61.1	35.9
血糖検査(及び又は ヘモグロビンA1c)	M	5.6	5.1	5.8	8.1	12.3	17.0	22.3	27.9	33.3	34.7	33.4	18.7
	F	3.8	3.1	3.0	4.0	5.5	7.0	9.2	12.3	15.1	18.2	21.2	8.6
尿検査(糖)	M	0.5	0.4	0.6	1.0	1.7	2.7	4.1	5.8	7.3	8.1	8.8	3.3
	F	0.6	0.6	0.9	1.1	1.7	2.5	3.4	4.1	4.4	4.9	5.5	2.4
尿検査(蛋白)	M	4.0	2.9	2.4	2.4	2.9	3.3	3.6	3.8	4.5	5.1	6.5	3.4
	F	3.5	4.3	3.8	3.1	3.0	3.1	3.3	3.5	3.0	2.6	6.3	3.5
心電図検査	M	6.2	5.5	5.5	6.2	6.8	8.3	10.2	12.5	16.5	19.8	26.9	11.0
	F	5.3	4.9	4.6	5.5	6.5	7.5	8.8	11.1	12.6	14.6	24.9	9.3
肥満度(BMI)	M	15.7	18.0	21.6	24.2	28.3	31.1	32.2	32.0	31.1	31.0	32.3	27.7
	F	12.1	11.0	14.9	17.3	18.8	19.5	20.6	21.4	21.6	22.2	23.0	18.0
所見のあった者の割合	M	22.9	39.3	46.5	56.2	69.4	77.1	81.6	85.2	88.8	90.5	91.5	69.0
	F	14.2	22.8	32.9	41.5	49.4	56.1	63.1	69.1	74.7	79.4	84.7	50.3
腹囲計測	M	14.7	19.4	25.3	31.3	36.4	41.0	44.8	46.5	47.7	48.3	48.0	40.4
	F	2.5	3.2	4.1	5.4	7.6	9.6	11.2	12.7	14.1	15.7	17.8	10.3